



सत्यमेव जयते

**GOVERNMENT OF MEGHALAYA
DIRECTORATE OF ANIMAL HUSBANDRY & VETERINARY
MEGHALAYA :: SHILLONG**



Phone No.: 9436181849

Email : meghvety01@gmail.com

No. MVD/E-841/2022-23/48

Dated Shillong, the 7th September, 2022

From : Public Information Officer &
Joint Director (Admn),
Directorate A.H & Veterinary,
Meghalaya, Shillong.

To
Shri. Dispersing Rani,
C/o. Umlyngka near Umlyngka Football Ground,
East Khasi Hills District,
3rd Mile Upper Shillong – 793005,
Phone No. – 9856617951,
Email ID – disparsingranirani@gmail.com.

Subject : Information sought under Right to Information (RTI) Act 2005-reg.

Sir,

With reference to the subject cited above, I am furnishing herewith the information as sought for under *RTI (Right to Information) Act 2005* concerning, Directorate of Animal Husbandry & Veterinary as per details below:-

Sl. No.	Appeal	Information						
1	2	3						
1	Please provide me information alongwith the lists/name of Muster Rolls including date of Joining report in your office and Mawiong Dairy Processing Center.	No. of Muster Rolls in the Directorate of A.H and Veterinary, Shillong - 18 Nos. (<u>Annexure 1-10</u>) • Information regarding Mawiong Dairy Processing Center is not available with this Directorate.						
2	Please provide me the lists of Regular Casual Workers who completed 10 years of Service and how many of them are promoted to Group – D Post as per the Meghalaya Regular Casual Workers Scheme 1996	Nil						
3	<i>Please provide me the list, joining report and recommendation letter of your employees under -</i> Ad-hoc, Temporary, Contractual, Casual Workers, Daily Wages, Basis including their salaries and NOC from DSC/MPSC if appointment under Officiating basis.	1) Ad – hoc : Nil 2) Temporary : Nil <u>Vacant:-</u> a) 4 Nos. LDA intimated to MPSC vide letter No. MVD/E-312/P1/21-22/18, dt. 11.02.2022 (copy enclosed) – (<u>Annexure 11</u>) <u>Already advertised by MPSC: (Annexure 12 – 15)</u> <table border="1"> <tr> <td>b) Inspector of Statistics - 1 No.</td> <td>No. MPSC/D-12/2018-19/111, dt. 28th April, 2022 (copy enclosed)</td> </tr> <tr> <td>c) Statistical Assistant - 2 Nos.</td> <td>No. MPSC/D-12/2019-20/126, dt. 28th April, 2022 (copy enclosed)</td> </tr> <tr> <td>d) Statistical Officer - 2 Nos.</td> <td>No. MPSC/NAZ-38/2017-18/111, dt. 28th April, 2022 (copy enclosed)</td> </tr> </table> 3) <u>Contractual</u> – 12 Nos. – (<u>Annexure 16 – 28</u>) 4) <u>Casual Worker</u> – Categorized under Muster Roll 5) <u>Daily Wages</u> – Categorized under Muster Roll	b) Inspector of Statistics - 1 No.	No. MPSC/D-12/2018-19/111, dt. 28 th April, 2022 (copy enclosed)	c) Statistical Assistant - 2 Nos.	No. MPSC/D-12/2019-20/126, dt. 28 th April, 2022 (copy enclosed)	d) Statistical Officer - 2 Nos.	No. MPSC/NAZ-38/2017-18/111, dt. 28 th April, 2022 (copy enclosed)
b) Inspector of Statistics - 1 No.	No. MPSC/D-12/2018-19/111, dt. 28 th April, 2022 (copy enclosed)							
c) Statistical Assistant - 2 Nos.	No. MPSC/D-12/2019-20/126, dt. 28 th April, 2022 (copy enclosed)							
d) Statistical Officer - 2 Nos.	No. MPSC/NAZ-38/2017-18/111, dt. 28 th April, 2022 (copy enclosed)							

4	Please provide me information on status of Drainage system pertaining to Mawiong Dairy Processing Center and why you didn't construct a setup plan to enable its by product not to flow to Drinking water of Mawiong (evidence enclosed)	Information is not available with the Directorate of A.H & Veterinary Department.
5	Please provide me information alongwith Xerox copy of DPR for construction of Slaughter House/Abattoirs at Mawiong including information as to why the by product of Slaughter House was not diverted to Treatment plant (evidence enclosed)	<p>1) Detailed Project Report for construction of Slaughter/Abattoir at Mawiong is available (<i>Total pages – 146</i>)</p> <p>2) <i>Information as to why the by product of Slaughter House was not diverted to Treatment plan :-</i></p> <p>a) All wastes from Abattoir goes into the ETP as per ETP plan Drawing enclosed (1 page).</p> <p>b) The treated water from the ETP is then released into the Reservoir (small pond)</p> <p>c) It may be mentioned that during heavy rains, water from adjoining areas, automobile workshops, roadside, etc flows into the Abattoir and ultimately into the pond thus overflowing it and subsequently downhill.</p> <p>d) The distance from the Reservoir/pond holding treated water from Abattoir to the stream is about 1 km. (approximately).</p>


I am to inform you that the enclosures (Annexure 1 – 177) are ready and the same will be furnished only after payment of the quantum of fees amounting to ₹ 354/- (*Rupees Three Hundred Fifty Four*) only as per Sub – Section (i) of Section 7 under the *RTI (Right to Information) Act 2005*.

Break up as follows:

No. of Pages – 177 x 2 = ₹ 354/- (Rupees Three Hundred Fifty Four) only

This is for your information and necessary action.

Yours faithfully,


Public Information Officer &
Joint Director (Admn),
Directorate A.H & Veterinary,
Meghalaya, Shillong.


Memo. No. MVD/E-841/2022-23/48-A

Dated Shillong, the 7th September, 2022

Copy to:-

1. The Secretary, Meghalaya State Information Commission for information.
2. The Under Secretary to the Government of Meghalaya, Animal Husbandry & Veterinary Department for information.

e/c


Public Information Officer &
Joint Director (Admn),
Directorate A.H & Veterinary,
Meghalaya, Shillong.